


# STRAINERS



Basket series

## BASKET STRAINERS



## Hydrodynamic design

Designed to provide maximum protection of the elements of any hydraulic system and prevent damage of objects inside the piping as water meters, valves, and other valuable accessories.





## Operation

Physically retain all particles larger than the size of the stainless steel mesh of the filter element.

The manual cleaning provides the user the security of forgetting problems arising from a mechanical failure or poor automation assembly.

Thanks to the large filter surface and the low pressure drop of the filters, the performance of the filters is higher than the other filters on the market.



## Technical specifications


- ✓ - The equipment is supplied completely assembled and ready for installation in the field.
- ✓ - Minimum load loss that increases the performance of all elements of the hydraulic system.
- ✓ - Easy and quick cleaning. It can be done by inexperienced and inexperienced staff. Rapid access to a certain filter reduces downtime and maintenance costs.
- ✓ - Complete range of filters between Ø50mm and Ø300mm (see other diameters).
- ✓ - Welding homologated, according to ASME-IV standard.
- ✓ - Supply adaptable to customer needs.

Filters also available with Victaulic connection. For other configurations consult.



Disassembly

Nº	Description	Material
1	Filter basket	Carbon steel
2	Filtering element	Stainless steel
3	Sealed element	NBR
4	Screws	Bichromatic
5	Painting	Epoxi




Dimensions

Calibre		Body Diameter	L	A	B	Plug	Weight
mm	Inches	Inches	mm			Inches	KG
50	2	6	310	210	105	1/2	19
65	2-1/2	6	310	240	120	3/4	20
80	3	6	370	280	140	3/4	22
100	4	8	460	320	160	1	32
125	5	10	520	360	180	1	56
150	6	12	570	390	195	1	73
200	8	16	700	500	250	1-1/2	113
250	10	20	800	650	325	1-1/2	179
300	12	24	900	750	375	2	246

Standard filter mesh perforation: 0 "to 1 ¼": 3 mm diameter, 1 ½ "to 6": 5 mm diameter, From 6 " : 8 mm in diameter Other diameters available on request.



Pressure loss curve





## BASKET STRAINERS

Basket strainers

WHEN WATER COUNTS

CUANDO EL AGUA ES LO QUE CUENTA

[www.hidroconta.com](http://www.hidroconta.com)

Ctra. Sta Catalina, 60  
Murcia (30012)  
España

T: +34 968 26 77 88  
F: +34 968 34 11 49

[hidroconta@hidroconta.com](mailto:hidroconta@hidroconta.com)

